

#### **REQUEST FOR QUOTATION**

Date: July 5, 2023 RFQ No.: 60-2023-A

The National Library of the Philippines (NLP), through its Bids and Awards Committee (BAC), intends to procure for the Procurement of Information and Communications Technology (ICT) Equipment, Devices, and Accessories (LOT Bidding) through Section 53.9 (Negotiated Procurement – Small Value Procurement) of the 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184.


Please quote your **best offer** for the item/s described herein, subject to the Terms and Conditions provided on this Request for Quotation (RFQ). Submit your quotation duly signed by you or your duly authorized representative <u>not later than July 13, 2023 at 4:00 PM</u>.

The following documents are also required to be submitted along with your quotation on the specified deadline above:

Document	Remarks
Copy of 2023 Mayor's or Business Permit	In case not yet available, you may submit your expired 2022 Mayor's or Business Permit with the Official Receipt of renewal application. However, a copy of your 2023 Mayor's or Business Permit shall be required to be submitted <b>before award of contract</b> .
Notarized Omnibus Sworn Statement ( <u>GPPB-Prescribed Form</u> )	Supported by Secretary's Certificate or Special Power of Attorney, if necessary.
Latest Income / Business Tax Return	Manually-filed tax returns or filed through EFPS

For any clarification, you may contact us at telephone no. **(02) 5310-5029 local 406 / 412** or email address at <u>bac@nlp.gov.ph</u>.

(Digitally Sgd.) MARICEL M. UREÑA BAC Chairperson







#### **INSTRUCTIONS:**

Note: Failure to follow these instructions will disqualify your entire quotation.

- (1) Do not alter the contents of this form in any way.
- (2) The use of this RFQ is <u>highly encouraged</u> to minimize errors or omissions of the required mandatory provisions. In case of any changes, bidders must use or refer to the latest version of the RFQ, except when the latest version of the RFQ only pertains to deadline extension.

If another form is used other than the latest RFQ, the quotation shall contain all the mandatory requirements/provisions including manifestation on the agreement with the Terms and Conditions below.

In case a prospective supplier/service provider submits a filled-out RFQ with a supporting document (i.e., a price quotation in a different format), both documents shall be considered unless there will be discrepancies. In this case, provisions in the RFQ shall prevail.

- (3) All mandatory technical specifications must be complied with. Failure to comply with the mandatory requirements shall render the quotation ineligible/disqualified.
- (4) Quotations may be submitted through electronic mail at <u>bac@nlp.gov.ph.</u>
- (5) Quotations, including documentary requirements, received after the deadline shall not be accepted. For quotations submitted via electronic mail, the date and time of receipt indicated in the email shall be considered.

#### **TERMS AND CONDITIONS:**

1. Bidders shall provide correct and accurate information required in this form.

2. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.

3. Price quotation/s must be valid for a period of forty-five (45) calendar days from the deadline of submission.

4. Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties, and/or levies payable.

5. Quotations exceeding the Approved Budget for the Contract shall be rejected.

6. In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the GPPB-TSO shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

7. Award of contract shall be made to the lowest quotation which complies with the technical specifications, requirements and other terms and conditions stated herein.

8. The item/s shall be delivered according to the accepted offer of the bidder.

9. Item/s delivered shall be inspected on the scheduled date and time of the NLP. The delivery of the item/s shall be acknowledged upon the delivery to confirm the compliance with the technical specifications.

10. Payment shall be made after delivery and upon the submission of the required supporting documents, *i.e.*, Order Slip and/or Billing statement, by the supplier, contractor, or consultant. Our Government Servicing Bank, *i.e.*, the Land Bank of the Philippines, shall credit the amount due to the identified bank account of the supplier, contractor, or consultant **not earlier than twenty-four (24) hours, but not later than forty-eight (48) hours**, upon receipt of our advice. Please note that the **corresponding bank transfer fee, if any, shall be chargeable to the account of the supplier, contractor, or consultant**.

11. Liquidated damages equivalent to one-tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The NLP may terminate the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.

12. The Procuring Entity may cancel or terminate the contract at any time in accordance with the grounds provided under RA No. 9184 and its 2016 revised IRR.

13. The RFQ, Purchase Order (PO), and other related documents for the above-stated Procurement projects shall be deemed to form part of the contract.





After having carefully read and accepted the Instructions and Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

Р	rocurement of Information and Communications Tech Accessories (LOT Bid		CT) Equipment, Devices, and
Unit	Minimum Technical Specifications	Qty.	Statement of Compliance (Comply or Not Comply; Please specify the BRAND and MODEL of your offer if applicable)
	Lot 1. Supply and Delivery of Microph	ione and S	Sound Card
pieces	<b>USB Microphone Cardioid Condenser Mic</b> Computer gaming microphone with mic gain and boom arm	2	
piece	<b>Professional Sound Card</b> V8 Audio Interface USB With Bluetooth accompaniment input	1	
piece	Professional Sound Card Functional Podcast Studio Equipment Plug and play; No driver requirement Compatible with smartphones, tablets, and computers, including Android, iOS, Windows, and MacOS Easy-to-use interface With buttons for multiple sound effects With real-time headphone monitoring Supports 2 mic input With noise and ambient sound canceling With sidechain function to highlight human voice With separate volume controls for mic and accompaniment With independent accompaniment input With 3-way live broadcast output With USB-C interface for power and data With built-in 1200mAh lithium battery capable for up to 8 hours of usage With Bluetooth 5.0 wireless connection or better Includes console, user manual, USB-C to USB-C cable; USB-A to USB-C cable, 3.5mm audio cable x2	1	
	Lot 2. Supply and Delivery of Various IC	T Tools a	nd Equipment
sets	Vice Plier Multi-Functional, Multi-Purpose Wire Cutter, Wire Stripper Pointed Pliers, Circlip Pliers, Electrical Peeling	2	
sets	Monitor Desktop Mount with Full Motion Swivel for 17 to 27" LCD Monitor	8	





	With built-in durable gas-strut cylinder Compatible Screen Size: 17" - 27" Weight Capacity: 4.4 to 14.3 lbs Upright Lift Distance: 10" Rotation: 360 degrees Swivel: 180 degrees Tilt: +35 degrees - 50 degrees Motion Type: Full motion Swivel Adjustment: Yes Tilt: Yes Material: Aluminum Alloy Color Family: Black Monitor Stand Type: Stand Height-Adjustable Arm/Stand: Yes		
	Weight (lb): 12.8 VESA Standard: 75x75, 100x100 mm Number of Monitors Held: 2 Maximum Monitor Weight (lb): 14.3 Maximum Monitor Size (inches): 27 Installation: C-Clamp or Grommet mount With integrated cable management		
sets	<b>Precision Screwdriver Kit</b> Magnetic screwdriver multi Computer PC Mobile Phone Device R	2	
set	<b>18V Cordless Impact Drill</b> With 41-piece accessories set with free Fisherman's Box	1	
each	<b>1/2-20UNF 1.5-12mm Keyless Metal Drill Chuck</b> Quick change adapter SDS-Plus shank	1	
each	5mm x 150mm SDS Rotary Hammer Concrete Masonry Drill Bit	2	
	Lot 3. Supply and Delivery of Networking and	Video Cal	oles and Equipment
pieces	Cat 6 Patch Panel (Loaded) ANSI/TIA Category: 6 Cable Type: Unshielded Color: Black Conductor Type: Solid   Stranded Modules, quantity: 4 Panel Style: Straight Rack Type: EIA 19 in Rack Units: 1 Termination Type: IDC Total Ports, quantity: 24 Transmission Standards: ANSI/TIA-568.2-D   ISO/IEC 11801 Class E	22	





	Dius unu Muurus Co		
	Wiring: T568A   T568B		
	Height: 44.45 mm   1.75 in		
	Width: 482.6 mm   19 in		
	Depth, with cable management: 119.38 mm   4.7 in		
	Compatible Diameter Over Dielectric, maximum:		
	1.168 mm   0.046 in		
	Compatible Diameter Over Dielectric, minimum:		
	0.762 mm   0.03 in		
	Compatible Conductor Gauge, solid: 22 AWG   24		
	AWG		
	Compatible Conductor Gauge, stranded: 22 AWG		
	24 AWG		
	Current Rating at Temperature: 1.5 A @ 20 °C   1.5		
	A @ 68 °F		
	Dielectric Withstand Voltage, RMS, conductive		
	surgace: 1,500 Vac @ 60 Hz		
	Dielectric Withstand Voltage, RMS, contact-to-		
	contact: 1,000 Vac @ 60 Hz		
	Insulation Resistance, minimum: 500 Mohm		
	Remote Powering: Fully complies with the		
	recommendations set forth by IEEE 802.3bt (Type 4)		
	for the safe delivery of power over LAN cable when		
	installed according to ISO/IEC 14763-2, CENELEC		
	EN 50174-1, CENELEC EN 50174-2 or TIA TSB-184-A		
	Contact Plating Material: Precious metals		
	Material Type: High-impact, flame retardant,		
	thermoplastic   Powder coated steel		
	Termination Contact Plating: Nickel		
	Plug Insertion Life, minimum: 750 times		
	Plug Insertion Life, test plug: IEC 60603-7		
	compliant plug		
	Plug Retention Force, minimum: 133 N   29.9 lbf		
	Operating Temperature: $-10$ °C to $+60$ °C ( $+14$ °F to		
	+140 °F)		
	Storage Temperature: -40 °C to +70 °C (-40 °F to		
	+158 °F)		
	Relative Humidity: Up to 95%, non-condensing		
	Flammability Rating: UL 94 V-0		
	Safety Standard: RCM   UL   cUL		
	Packaging quantity: 1		
pieces	CAT 6 RJ-45 Connector with Integrated Boot and	800	
	Pair Manager for MP-6AU		
	Regional Availability: Asia   Australia/New		
	Zealand   EMEA   Latin America   North America		
	Product Type: Modular plug		
	ANSI/TIA Category: 6		
	Cable Type: U/UTP (unshielded)		
	Conductor Type: Solid		





	Interface: RJ45		
	Positions/Loaded Contacts: 8		
	Termination Type: IDC		
	Compatible Cable Diameter, maximum: 6 mm		
	0.236 in		
	Compatible Cable Diameter, minimum: 5.3 mm		
	0.209 in		
	Compatible Insulated Conductor Diameter,		
	maximum: 1.03 mm   0.041 in		
	Compatible Insulated Conductor Diameter,		
	minimum: 0.84 mm   0.033 in		
	Contact Plating Thickness: 1.27 µm		
	Compatible Conductor Gauge, solid: 23 AWG		
	Contact Base Material: Copper alloy		
	Contact Plating Material: Gold over nickel		
	Material Type: Polycarbonate		
	Plug Insertion Life, minimum: 750 times		
	Safety Standard: UL 114344		
	Packaging Quantity: 100		
	Packaging Type: Bag		
pieces	Horizontal Cable Manager 1U (Horizontal Cable	22	
	Management Assembly)		
	Should help route and organize patch cords and		
	cables between panels; 19 inches, rack mountable		
	Industry Standards: RoHS compliant, EL V		
	compliant		
	Lead Free Solder Processes: Not relevant for lead		
	free process		
	Color: Black		
	Configuration: Single Sided		
	Product Type: Cable Management Panel		
	Rack Units: 1		
	Footprint: Standard		
	Enclosure Type: Consolidation Point Enclosure		
	Enclosure Dimensions: 22 x 22 x 8		
	Panel Height (mm [in]): 44.45 [1.750]		
	Rear Cable Management: Standard Fingers		
	Cable Management Type: Horizontal		
	Front Cable Management: Standard Fingers		
boxes	Cat6 UTP Cable	25	
	Color: Gray		
	Number of Pairs: 4		
	Total Number of Conductors: 8		
	AWG: 24		
	Stranding: Solid		
	Conductor Material: BC - Bare Copper		
	Insulation Material: PO - Polyolefin		
		1	





	Dius unu Awurus Co		
	Outer Shield Material: Unshielded Outer Jacket Material: PVC - Polyvinyl Chloride Plenum (Y/N): N Outer Jacket Ripcord: Yes UL CM Rated Should support frequencies of up to 250 MHz and the 10BASE-T, 100BASE-T, 1000BASE-T, and 10GBASE-T 1000ft/305m		
pieces	Cat6 UTP 28AWG CM/LSZH Cable Assembly, Orange, 1M Orange, 1M TX6-28 Category 6 Performance 28 AWG UTP Patch Cords Category 6/Class E, UTP, small diameter patch cords, constructed of 28 AWG, unshielded, twisted pair, stranded copper (dual-rated CM/LSZH) cable with high performance RJ45 modular plugs	54	
pieces	Cat6 UTP 28AWG CM/LSZH Cable Assembly, Orange, 3M Orange, 3M TX6-28 Category 6 Performance 28 AWG UTP Patch Cords Category 6/Class E, UTP, small diameter patch cords, constructed of 28 AWG, unshielded, twisted pair, stranded copper (dual-rated CM/LSZH) cable with high performance RJ45 modular plugs	54	
pieces	<b>3.5 Caddy HDD Tray for Lenovo SR650</b> Serial No. J301R4HL Model 7X06	7	
pieces	10/100/1000Mbps Gigabit Ethernet PCI Express Network Card PCIe RJ45 LAN Adapter	5	
pieces	USB 3.0 HUB 4 Port Adapter Multi USB Splitter High Speed OTG Hub - CHM/CHL	8	
sets	24 Pieces Tool Set Home Repair Tool Kit Electronic Instruments Watch Computer Etc. Main	2	
sets	RJ45 RJ11 Pass Through Crimping Tool for Cat7/6A Cat6/5 Ethernet Modular Plugs Connectors with Stripper and Spare	2	
piece	VGA Cable, 1.5m Material: Tinned Copper Conductor Diameter: 30 AWG, Jacketed Material Jacket: PVC Shielding: AL-Mylar	1	





	Dius unu Awurus Co		
	Connectors Video: HDB-15 Male / HDB-15 Female Cable Length: 1.5 m		
piece	VGA Cable, 5m Material: Tinned Copper Conductor Diameter: 30 AWG, Jacketed Material Jacket: PVC Shielding: AL-Mylar Connectors Video: HDB-15 Male / HDB-15 Female Cable Length: 5 m	1	
piece	VGA Converter Hub Compatible Devices: PC, Monitors, Laptops Connector Type: VGA, HDMI Connector Gender: Male, Color VGA to HDMI Item Dimensions (LxWxH): 8 x 3.9 x 0.2 inches	1	
pieces	HDMI Cable, Full HD, at least 1.5m	3	
piece	IOS to VGA Cord Compatible Devices: iPhone, iPad, iPod with lightning Connector Type: Lightning Other Connector Gender: Female-to-Male Color: White Item Dimensions (LxWxH): 2.6 x 0.7 x 6.1 inches	1	
bottles	Electronic Contact Cleaner, 400ml	2	
	Lot 4. Supply and Delivery of Vari	ous ICT Sı	ıpplies
each	Thermal Paste, 30 grams	30	
packs	<b>Cable Tie White (Black - Small), 100 pcs</b> Length: 3.0 x 200MM	11	
packs	Cable Tie White (Black - Big), 100 pcs Length: 3.5 x 300MM	12	
gallons	NR. 803 Industrial and Marine Solvent II	5	
	Lot 5. Supply and Delivery of	of Batterie	S
pieces	CMOS Battery, CR2032	55	
pieces	Battery, 12 volts 7 amp. for UPS	40	
packs	Battery, 9 volts NiMN, Rechargeable	5	
packs	Battery, Size AA, Rechargeable Pack of 2's	6	





#### FINANCIAL OFFER:

#### **Terms of Payment:**

Payment shall be made through Land Bank's LDDAP-ADA/Bank Transfer facility, within thirty (30) days after Submission of Billing and User Acceptance of the product. Bank Transfer fee shall be charged against the creditor's account.

#### Payment Details:

Banking Institution:	
Account Number:	
Account Name :	
Branch:	

Please quote your <u>best offer</u> for the item/s below. Please do not leave any blank items. Indicate **"0"** if item being offered is for free.

Procurement of Information and Communications Technology (ICT) Equipment, Devices, and Accessories (LOT Bidding)			
Approved Budget for the Contract	Total Offered Quotation		
Total ABC: Eight Hundred Twenty-One			
Thousand Two Hundred Thirty Pesos			
(Php 821,230.00)			
Let 1 Country of Missey of Missey have and	In Words:		
Lot 1. Supply and Delivery of Microphone and Sound Card			
ABC: Twenty-One Thousand Pesos	In Figures:		
(Php 21,000.00)			
	In Words:		
Lot 2. Supply and Delivery of Various ICT Tools and Equipment			
und Equipment	In Figures:		
ABC: Forty-One Thousand Seven Hundred Pesos (Php 41,700.00)			
Lot 3. Supply and Delivery of Networking and Video Cables and Equipment	In Words:		





Bids and Awards Committee

ABC: Six Hundred Fifty-Seven Thousand Thirty	
Pesos (Php 657,030.00)	In Figures:
	In Words:
Lot 4. Supply and Delivery of Various ICT Supplies	
	In Figures:
ABC: Thirty-Two Thousand Six Hundred Pesos (Php 32,600.00)	
	In Words:
Lot 5. Supply and Delivery of Batteries	
ABC: Sixty-Eight Thousand Nine Hundred Pesos (Php 68,900.00)	In Figures:

Signature over Printed Name

Position/Designation

Office Telephone/Fax/Mobile Nos.

Email Address/es

