

" Republike ng Pilipinas  
(Republic of the Philippines)  
KAGAWANAN NG EDUKASYON, CULTURA AT IPORTS  
(DEPARTMENT OF EDUCATION, CULTURE AND SPORTS)  
Maynila.

May 26, 1987

DECS MEMORANDUM  
No. 107, s. 1987

DECS FIVE-YEAR PROGRAM IN THE CONTROL OF PULMONARY TUBERCULOSIS  
AMONG THE SCHOOL POPULATION

To: Bureau Directors  
Regional Directors  
Schools Superintendents  
Heads of Private Schools, Colleges and Universities  
Vocational School Superintendents/Administrators

1. Reports from the schools division medical officers reveal a considerable number of school personnel to be suffering from pulmonary tuberculosis. Recent statistical data of the Department of Health show that tuberculosis is the second leading cause of death, accounting for 10.4% to 11.8 of deaths from all causes every year. A national prevalence survey conducted from 1981 to 1983 by the National Institute of Tuberculosis and Department of Health also showed that 6.6 persons for every 1000 population were found positive for tuberculosis by sputum microscopy.

2. In line with the thrust of the national government, the Department of Education, Culture and Sports through the School Health and Nutrition Center, in coordination with the Department of Health, is embarking on a 5-year intensive control program against tuberculosis among the school population.

3. Beginning school year 1987-88 up to school year 1991-92, all teachers and other school personnel in both public and private schools shall be required to undergo a yearly physical examination including sputum examination at the nearest rural health unit (RHU) and/or chest X-ray at any government or PHILippine Tuberculosis Society chest centers or pavilions. Pupils and students showing signs and symptoms of tuberculosis shall also be required to undergo sputum examination.

4. School personnel and students/pupils found to be positive on sputum microscopy or with cavitary lesions on X-ray shall be referred to the nearest rural health unit for free treatment of at least six months. The school personnel shall be advised to go on leave for at least one month or until such time that they are rendered non-infectious as determined through follow-up examinations. Those with non-cavitary or non-infectious lesions shall also be treated accordingly without necessarily going on leave.

5. The school physician shall be the overall coordinator of the TB Control Program. In the absence of the school physician, the health supervisor shall take charge of coordinating and monitoring all activities.

6. The school health personnel shall have the following responsibilities.

- a. disseminate information regarding the TB control program.
- b. coordinate with the PHO/RHU in the case-finding of teachers and students.



l-  
sis.

g

t

w

1  
D-



- c. assist the rural health personnel in the case-finding and sputum collection;
- d. follow-up treatment of teachers and students recommended for treatment and certify for their return to service;
- e. see to it that the BCG immunization of all school entrants as embodied in MECB Memorandum No. 25, s. 1964, are complied with; and
- f. intensify health education on tuberculosis, its prevention and control.

7. The school physician/health supervisor shall render a quarterly report specifically regarding the following data as per attached form:

- a. Number of teachers/students who submitted for sputum and chest X-ray examinations.
- b. Number of teachers/students found with cavitary lesions.
- c. Number with non-cavitary lesions.

8. This Memorandum supersedes MECB Memorandum No. 30, s. 1965.

9. The cooperation of all school administrators in the effective implementation of this TB control program is enjoined.

(Sgd.) LAURDES R. CUISOMBING  
Secretary

Incl.:

As stated

Reference:

MECB Memorandums: (Nos. 25, s. 1964 and  
30, s. 1965)

Allotment: 1-2--(M.O. 1-87)

To be indicated in the Perpetual Index under  
the following subjects:

BUREAUS & OFFICES  
 EMPLOYEES  
 HEALTH EDUCATION  
 LEAVES

PUPILS  
 REPORT  
 STUDENTS  
 TEACHERS







(Inclosure to DECS Memorandum No. 137, s. 1987)

DECS TH CONTROL PROGRAM REPORT  
Quarter, 19

Period: \_\_\_\_\_ Division: \_\_\_\_\_

\*School: \_\_\_\_\_ \* Prov./City/Mun.: \_\_\_\_\_  
\*(For Institutions/Colleges/Universities)

Pupils : Other School  
Teachers : Students : Personnel  
(Enrolment)

Present number of \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_

Number with Sputum Examination : \_\_\_\_\_

No. of Specimens Positive - 1st Exam : \_\_\_\_\_

- 2nd Exon : \_\_\_\_\_ 1 \_\_\_\_\_ 2 \_\_\_\_\_

3rd Exam: \_\_\_\_\_

Number X-rayed \_\_\_\_\_

Number with Cavitary Lesions

Number with Non-cavitary Lesions : \_\_\_\_\_

- For Advanced

- Moderately Advanced

- minimal -

Other findings (specify) \_\_\_\_\_

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

For more information about the study, please contact Dr. John D. Cawley at (609) 258-4626 or via email at [jdcawley@princeton.edu](mailto:jdcawley@princeton.edu).

Submitted by:

School Physician/Health Supervisor



L

r])

